



[www.instalmech.it](http://www.instalmech.it)

# DISK ROLLER SCREEN


 ENGLISH



# Disk roller screen







This screen guarantees an excellent classification of the material thanks to the particular geometrical shape of the disks and the gap between them. By varying the velocity of the rolls and the spacing varies the grade of separation of the three fractions. The material spreads homogeneously onto the classification surface of the screen, the velocity of rotation favors the progress and classification of the material. The fine fraction gets separated from the coarse fraction and from the oversize which are recovered separately underneath the screen.



## Advantages

- High resistance and long lifespan of the components
- High precision of the disk units, therefore maximum screening efficiency
- Protection from wear of the devices installed afterwards





MODEL	L1	L2	T	W	AxB	Installed power	Capacity t/h (bd)	Weight
DSSD - 1000 - 1006	3300	2185	1195	960	1035 x 300	12 kW	8	7500 Kg
DSSD - 1400 - 1408	4150	2585	1595	1360	1435 x 350	18 kW	18	11500 Kg
DSSD - 2000 - 1608	4600	3225	2235	2000	2075 x 370	28 kW	25	1400 Kg
DSSD - 2400 - 1810	5250	3560	2570	2335	2410 x 400	32 kW	35	17500 Kg
DSSD - 2400 - 2212	6330	3560	2570	2335	2410 x 400	40 kW	45	19500 Kg

# NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

Via Malignami, 1 - 33058 San Giorgio di Nogaro - UD, Italy - Phone: +39 0431 626311 - Fax: +39 0431 626300 - sales@instalmech.it - www.instalmech.it

Soggetta ad attività di direzione e coordinamento da parte di IPPEMA 76 FUNDUSZ

Instalmech S.r.l. a Socio Unico

